

Gasentladungslampen / Gas discharge headlight lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
13000	D1S 35W PK32d-2	White Light 5.500°K +20% More Light	1	4016840130001	40.38	66140CBI	85415WHV	53750	1 987 302 909	8GS 009 028-621
11000	D2S 35W P32d-2	White Light 5.500°K +20% More Light	1	4016840110003	25.31	66240CBI	85122WHV	53760	1 987 302 910	8GS 007 949-251
12000	D2R 35W P32d-3	White Light 5.500°K +20% More Light	1	4016840120002	25.94	66250CBI	85126WHV	53770		8GS 007 001-241
3000	D1S 35W PK32d-2		1	4016840230008	27.37	66140	85415VI	53620	1 987 302 905	8GS 009 028-111
4000	D1R 35W PK32d-3		1	4016840240007	37.02	66150	85409VI			
1000	D2S 35W P32d-2		1	4016840010006	14.86	66240	85122VI	53500	1 987 302 904	8GS 007 949-261
2000	D2R 35W P32d-3		1	4016840020005	18.68	66250	85126VI	53510	1 987 302 903	8GS 007 001-151
6000	D3S 35W PK32d-5	Mercury-free	1	4016840260005	35.66	66340	42403VI	53660	1 987 302 907	8GS 009 028-311
8000	D3R 35W PK32d-6	Mercury-free	1	4016840270003	47.49	66350	42306VI			
7000	D4S 35W P32d-5	Mercury-free	1	4016840270004	31.62	66440	42402VI	53670	1 987 302 906	8GS 007 949-311
9000	D4R 35W P32d-6	Mercury-free	1	4016840290002	35.58	66450	42406VI	53680		
10000	D5S 12V 25W PK32d-7		1	4016840100004	134.38		12410			
5000	D8S 25W PK32d-1	Mercury-free	1	4016840250006	55.56	66548				
More Light 12V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
15115	H1 12V 55W P14,5s	More Light +120%	1	4016840251157	3.03	64150NBU	12258XV	50310NU	1 987 301 150	8GH 178 560-471
15134	H4 12V 60/55W P43t	More Light +120%	1	4016840251348	3.25	64193NBU	12342XV	50440SNU	1 987 302 140	8GJ 178- 560-481
15117	H7 12V 55W PX26d	More Light +120%	1	4016840251171	3.97	64210NBU	12972XV	58520SNU	1 987 302 170	8GH 178 560-491
15189	H11 12V 55W PGJ19-2	More Light +120%	1	4016840251898	7.23	64211NBU		53110SNU		
15177(9005)	HB3 [9005] 12V 60W P20d	More Light +120%	1	4016840251775	5.20	9005NBU		53810NU		
15178(9006)	HB4 [9006] 12V 51W P22d	More Light +120%	1	4016840251782	5.20	9006NBU		53070SNU		
14167(9008)	H13 [9008] 12V 60/55W P26,4t	More Light +100%	1	4016840241677	9.45					
14179(9007)	HB5 [9007] 12V 65/55W PX29t	More Light +100%	1	4016840241790	7.10					
14115	H1 12V 55W P14,5s	More Light +90%	1	4016840241158	3.00	64150NBP		50310XU	1 987 302 114	8GH 002 089-531
14134	H4 12V 60/55W P43t	More Light +90%	1	4016840241349	3.22	64193NBP		50440SXU	1 987 301 077	8GJ 002 525-531
14117	H7 12V 55W PX26d	More Light +90%	1	4016840241172	3.94	64210NBP		58520SXU	1 987 301 078	8GH 007 157-473
14189	H11 12V 55W PGJ19-2	More Light +90%	1	4016840241899	6.62	64211SV2		53110SXU		
14177(9005)	HB3 [9005] 12V 60W P20d	More Light +90%	1	4016840277904	5.19			53060XU		
14178(9006)	HB4 [9006] 12V 51W P22d	More Light +90%	1	4016840278901	5.19			53070SXU		
11134	H4 12V 60/55W P43t	More Light +60%	1	4016840111345	3.07	64193SV2	12342VP	50440MPU	1 987 302 049	8GJ 002 525-471
13117	H7 12V 55W PX26d	More Light +50%	1	4016840131176	2.29	64210SV2	12972VP	58520MPU	1 987 302 079	8GH 007 157-453
13118(9006)	HB4 [9006] 12V 51W P22d	More Light +50%	1	4016840296509	3.22					
1134	H4 12V 60/55W P43t	More Light +30%	1	4016840211342	1.89	64193SUP	12342PR		1 987 302 042	
12178(9006)	HB4 [9006] 12V 51W P22d	More Light +30%	1	4016840501810	3.22		9006PR			
12179(9007)	HB5 [9007] 12V 65/55W PX29t	More Light +30%	1	4016840501827	4.42					
Xenon Look 12V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
16111	H1 12V 55W P14,5s	Xenon Look 4.200°K +30% More Light	1	4016840261118	3.08	64150CBI		50310SBU	1 987 301 011	8GH 002 089-141
11121	H3 12V 55W PK22s	Xenon Look 4.200 °K +20% More Light	1	4016840111215	2.93	64151CBI	12336WH		1 987 302 035	8GH 002 090-371
16101	H4 12V 60/55W P43t	Xenon Look 4.200°K +30% More Light	1	4016840261125	3.71	64193CBI		50440SBU	1 987 302 045	8GJ 002 525-361
16117	H7 12V 55W PX26d	Xenon Look 4.200°K +30% More Light	1	4016840261170	3.74	64210CBI		58520SBU	1 987 301 013	
13111	H1 12V 55W P14,5s	Xenon Look 3.620°K +50% More Light	1	4016840331118	3.30		12258WH		1 987 302 118	
11101	H4 12V 60/55W P43t	Xenon Look 3.625/3.540°K +50% More Light	1	4016840311011	3.38		12342WH	50440SPU		
11117	H7 12V 55W PX26d	Xenon Look 3.540°K +50% More Light	1	4016840111178	3.94		12972WH	58520SPU	1 987 302 178	
1177(9005) XLML	HB3 [9005] 12V 60W P20d	Xenon Look 3.690°K +50% More Light	1	4016840221778	5.28	9005CBI	9005WH	53810NHSU		
1178(9006) XLML	HB4 [9006] 12V 51W P22d	Xenon Look 3.600°K +50% More Light	1	4016840221785	5.14	9006CBI	9006WH	53820NHSU		
1117 BLUE	H7 12V 55W PX26d	Xenon Look 3.600°K	1	4016840500615	4.04				1 987 302 075	8GH 007 157-126
1167 BLUE	H13 [9008] 12V 60/55W P26,4t	Xenon Look 3.650/3.550°K	1	4016840267028	8.20					
1177(9005) SB	HB3 [9005] 12V 60W P20d	Xenon Look 3.600°K	1	4016840500127	5.49				1 987 302 154	
1178(9006) SB	HB4 [9006] 12V 51W P22d	Xenon Look 3.600°K	1	4016840500011	5.14				1 987 302 155	
1179(9007) BLUE	HB5 [9007] 12V 65/55W PX29t	Xenon Look 3.700/3.500°K	1	4016840500035	5.97					
HIR2-9012 BLUE	HIR2 [9012] 12V 55W PX22d	Xenon Look 4.000°K	1	4016840503845	21.22	9012CBI				
1195(893) BLUE	US-Type 893 12V 37,5W PG13	Xenon Look 3.400°K	1	4016840501612	2.95					

1625	W5W [T10] 12V 5W W2,1x9,5d	Xenon Look 2.890°K	10	4016840216255	0.48	2825HCBI	12961BV	91625 Blue		
1885 BLUE	(W5W) Halogen 12V 5W W2,1x9,5d	Xenon Look 3.000°K	10	4016840500554	2.54					
1896 BLUE	H6W 12V 6W BAX9s	Xenon Look 3.250°K	10	4016840296127	2.02		12036WH			
Long Life 12V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1113	H1 12V 55W P14,5s	Long Life	1	4016840211137	1.20	64150ULT	12258LLECO	50310LU_DPU	1 987 302 018	8GH 002 089-351
1123	H3 12V 55W PK22s	Long Life	1	4016840211236	1.64		12336LLECO	50340LU_DPU	1 987 302 038	
1104	H4 12V 60/55W P43t	Long Life	1	4016840211045	1.79	64193ULT	12342LLECO	50440LU_DPU	1 987 301 054	8GJ 002 525-481
1116	H7 12V 55W PX26d	Long Life	1	4016840211168	1.44	64210ULT	12972LLECO	58520LU_DPU	1 987 302 078	8GH 007 157-201
1189 LL	H11 12V 55W PGJ19-2	Long Life	1	4016840500097	4.32	64211ULT	12362LLECO			
1177(9005) LL	HB3 [9005] 12V 60W P20d	Long Life	1	4016840504224	2.72					
1178(9006) LL	HB4 [9006] 12V 51W P22d	Long Life	1	4016840500004	2.41					
1179(9007) LL	HB5 [9007] 12V 65/55W PX29t	Long Life	1	4016840500059	4.10					
1197(862) LL	US-Type 862 12V 37,5W PGJ13	Long Life	1	4016840504279	2.48					
1898(898) LL	US-Type 898 12V 37,5W PGJ13	Long Life	1	4016840289822	2.41					
1899(899) LL	US-Type 899 12V 37,5W PGJ13	Long Life	1	4016840502022	2.41					
1318	P21W 12V 21W BA15s	Long Life	10	4016840213186	0.29	7506ULT	12498LLECO	1057LFD	1 987 302 280	8GA 002 073-271
1328	PY21W 12V 21W BAU15s	Long Life / Amber	10	4016840213285	0.48	7507ULT	12496LLECO	1056LFD		
1338	P21/5W 12V 21/5W BAY15d	Long Life	10	4016840213384	0.43	7528ULT	12499LLECO	1077LFD	1 987 302 282	8GD 002 078-221
1348	P21/4W 12V 21/4W BAZ15d	Long Life	10	4016840213483	0.40			TU 1122LFD		
1408	R5W 12V 5W BA15s	Long Life	10	4016840214084	0.26	5007ULT	12821LLECO	2619LFD	1 987 302 284	
1418	R10W 12V 10W BA15s	Long Life	10	4016840214183	0.29	5008ULT		TU 2641LFD	1 987 302 283	
1508	T4W 12V 4W BA9s	Long Life	10	4016840215081	0.44			TU 2662LFD		
1628	W5W [T10] 12V 5W W2,1x9,5d	Long Life	10	4016840216286	0.17	2825ULT	12961LLECO	TU 930FD	1 987 302 286	
1718	C5W 12V 5W SV8,5-8	Long Life / 11x35mm	10	4016840217184	0.51	6418ULT		TU 7546LFD	1 987 302 281	
1895 LL	H21W 24V 21W BAY9s	Long Life	10	4016840501988	3.97					
1896 LL	H6W 12V 6W BAX9s	Long Life	10	4016840500561	1.47	64132ULT		TU 52830LFD	1 987 301 061	
1897 HY LL	HY21W 12V 21W BAW9s	Long Life / Amber	10	4016840501995	4.54	64137ULT				
1897 LL	H21W 12V 21W BAY9s	Long Life	10	4016840297025	2.48					8GH 008 417-001
Off-Road 12V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1191	(H1) 12V 100W P14,5s	Off-Road	1	4016840211915	1.44	622005BP		52140U	1 987 302 016	
1185	(H2) 12V 100W X511	Off-Road	1	4016840211854	2.38					
1181	(H3) 12V 100W PKY22s	Off-Road	1	4016840211816	1.63	64153SB		52130U	1 987 302 036	
1105	(H4) 12V 100/80W P43t	Off-Road	1	4016840211052	1.89			52100HU	1 987 302 046	
1155	(H4) 12V 100/80W P45t	Off-Road	1	4016840211557	2.12	64204SB		52030U		
1109	(H4) 12V 100/90W P43t	Off-Road	1	4016840211090	1.99	62204SBP		52100HU		
1136	(H4) 12V 140/100W P43t	Off-Road	1	4016840211366	2.91					
1118(80W)	(H7) 12V 80W PX26d	Off-Road	1	4016840218808	2.73	62261SBP				
1118(85W)	(H7) 12V 85W PX26d	Off-Road + Xenon Look	1	4016840280850	5.95	62210CBB			1 987 302 072	
1106(9004) HW	(HB1) (9004) 12V 100/80W P29t	Off-Road	1	4016840500066	5.33					
1177(9005) HW	(HB3) (9005) 12V 100W P20d	Off-Road	1	4016840500103	3.15	69005SBP				
1178(9006) HW	(HB4) (9006) 12V 70W P22d	Off-Road	1	4016840500141	3.08	69006SBP				
1179(9007) HW	(HB5) (9007) 12V 100/80W PX29t	Off-Road	1	4016840504231	4.73					
12V Scheinwerferlampen / 12V Head light lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1111	H1 12V 55W P14,5s		1	4016840211113	0.75	64150	12258SP	50310/1U	1 987 302 011	8GH 002 089-133
1131	(H2) 12V 55W X511		1	4016840211311	1.37	64173	112311		1 987 302 022	
1121	H3 12V 55W PK22s		1	4016840211212	0.83	64151		50340U	1 987 302 031	8GH 002 090-133
1101	H4 12V 60/55W P43t		1	4016840211014	1.11	64193		50440U	1 987 302 041	8GJ 002 525-131
1141	(H4) 12V 60/55W P43t	Yellow	1	4016840211410	4.03					
1151	(H4) 12V 60/55W P45t		1	4016840211519	1.69	62112		52070U		8GJ 004 173-121
1117	H7 12V 55W PX26d		1	4016840211175	1.22	64210		58520U	1 987 302 071	8GH 007 157-121
1186	H8 12V 35W PGJ19-1		1	4016840211861	4.03	64212	12360	53090HU	1 987 302 081	8GH 008 356-121
1187	H9 12V 65W PGJ19-5		1	4016840211878	5.07	64213	12361	53100HU	1 987 302 082	8GH 008 357-001

1187(H9B)	H9B 12V 65W PGJY19-5		1	4016840504248	10.88	64243				
1188	H10 [9145] 12V 42W PY20d		1	4016840211885	2.65	9145		53080U	1 987 302 083	
1189	H11 12V 55W PGJ19-2		1	4016840211892	3.35	64211	9145	53110HU	1 987 301 339	8GH 008 358-121
1189 B	H11B 12V 55W PGJY19-2		1	4016840504262	9.24	64241				
1190(9055)	H12 [9055] 12V 53W PZ20d		1	4016840211908	4.11					
1167	H13 [9008] 12V 60/55W P26,4t		1	4016840211670	5.41	9008	9008			8GJ 008 837-121
1163	H15 12V 55/15W PGJ23t-1		1	4016840211632	13.96	64176	12580			8GJ 168 119-001
1165	H16 12V 19W PGJ19-3		1	4016840211656	7.93	64219L	12366			
1169	H18 12V 65W PY26d-1		1	4016840011690	2.47	64180L	12643LLC1			
1106(9004)	(HB1) [9004] 12V 65/45W P29t		1	4016840211069	3.35	9004	9004			
1177(9005)	HB3 [9005] 12V 60W P20d		1	4016840211779	1.72	9005		53060U	1 987 302 152	8GH 005 635-121
1177XS(9005XS)	HB3A [9005XS] 12V 60W P20d		1	4016840500134	3.08	9005XS				8GH 005 635-161
1178(9006)	HB4 [9006] 12V 51W P22d		1	4016840211786	1.72	9006		53070U	1 987 301 063	8GH 005 636-121
1178XS(9006XS)	HB4A [9006XS] 12V 51W P22d		1	4016840500028	2.54	9006XS				8GH 005 636-201
1179(9007)	HB5 [9007] 12V 65/55W PX29t		1	4016840211793	3.47	9007	9007			
HIR2-9012	HIR2 [9012] 12V 55W PX22d		1	4016840290125	11.62	9012	9012LL	54430U		
1168(795)	USA 795 12V 50W BA15s Halogen		1	4016840211687	2.43					
1197(862)	US-Type 862 12V 37,5W PGJ13		1	4016840211977	1.86					
1183(880)	H27W/1 [US-Type 880] 12V 27W PGJ13		1	4016840211830	1.72	880	12059	54480U		8GH 008 991-021
1184(881)	H27W/2 [US-Type 881] 12V 27W PGJ13		1	4016840211847	1.72	881	12060	54490U		8GH 008 991-031
1171(885)	US-Type 885 12V 50W PG13		1	4016840211717	1.86					
1176(886)	US-Type 886 12,8V 3,9 AMP PGJ13	Tractor	1	4016840211762	2.54					
1193(889)	US-Type 889 12,8V 27W PGJ13		1	4016840211939	1.86					
1194(890)	US-Type 890 12V 27W PG13		1	4016840211946	1.86					
1892(892)	US-Type 892 12,8V 16W PG13		1	4016840218921	1.86					
1195(893)	US-Type 893 12V 37,5W PG13		1	4016840211953	1.86					
1175(894)	US-Type 894 12,8V 2,93 AMP PGJ13	Tractor	1	4016840211755	1.86					
1196(896)	US-Type 896 12V 37,5W PGJ13		1	4016840211960	1.86					
1899(899)	US-Type 899 12V 37,5W PG13		1	4016840502015	1.86					
1201	R2 12V 45/40W P45t		1	4016840212011	0.81	7951	12620	52950	1 987 302 023	
1251	R2 12V 45/40W P45t	Yellow	1	4016840212516	2.13					
1199	R2 Halogen 12V 45/40W P45t		1	4016840211991	2.13	64183	12475		1 987 302 021	8GD 002 088-141
12V Standard Kleinlampen / 12V Standard small lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1311	R 12V 18W BA15s	DIN 72 601 R	10	4016840213117	0.33	7527	12445		1 987 301 027	8GA 002 072-121
1321	P21W 12V 21W BA15s		10	4016840213216	0.21	7506	12498	1057	1 987 302 201	8GA 002 073-121
1321 BAW	PR21W 12V 21W BAW15s	Red	10	4016840500158	2.04		12088			
1341	P21/5W 12V 21/5W BAY15d		10	4016840213414	0.26	7528	12499	1077	1 987 302 202	8GD 002 078-121
1341 BAW	PR21/5W 12V 21/5W BAW15d	Red	10	4016840500196	3.12		12495			
1345	P21/4W 12V 21/4W BAZ15d		10	4016840213452	0.34	7225	12594	1122	1 987 302 215	8GD 004 772-121
1371	P21W 12V 21W BA15d		10	4016840213711	0.31			1058		
1383	PY21W 12V 21W BAU15s	Amber	10	4016840213834	0.35	7507	12496NA	1056	1 987 302 213	8GA 006 841-121
1383 D	PY21W 12V 21W BAU15s	Silver	10	4016840500219	3.25					
1333(1156)	US-Type 1156 SAE S8 12,8V 2,1A BA15s		10	4016840213339	0.52					
1388(1157)	US-Type 1157 12,8V/14V 27/8W BAY15d		10	4016840213889	0.35					
1334(1157NA)	US-Type 1157NA 12,8V 27/8W BAY15d	Amber	10	4016840213346	0.68					
1614	P27W [US-Type 3156] 12V 27W W2,5x16d		1	4016840216149	0.73	3156				
1389(3157)	P27/7W [US-Type 3157] 12V 27/7W W2,5x16q		1	4016840213896	0.82	3157				
1389NA(3157NA)	PY27/7W [US-Type 3157NA] 12V 27/7W WX2,5x16q	Amber	1	4016840500224	0.98	3757AK				
1401 R	R5W [Tube] 12V 5W BA15s		10	4016840014011	0.17	5007	12821	2619T	1 987 302 204	8GA 002 071-121
1431	R5W 12V 5W BA15d		10	4016840214312	0.20	5407	12822		1 987 302 237	
1411 R	R10W [Tube] 12V 10W BA15s		10	4016840014110	0.18	5008	12814	2641T	1 987 302 203	8GA 002 071-131
1425	R10W 12V 10W BA15d		10	4016840214251	0-25	5408				
1483	RY10W 12V 10W BAU15s	Amber	10	4016840214831	0.55	5009	12093NA			
1501	T4W 12V 4W BA9s		10	4016840215012	0.26	3893	12929	2662	1 987 302 207	8GP 002 067-121

1511	(T2W) 12V 2W BA9s	DIN 72601 H	10	4016840215111	0.25	3796	12913	2660	1 987 302 212	8GP 002 068-121
1601	(W1,2W) [T5] 12V 1,2W W2x4,6d		10	4016840216019	0.14	2721	12516	5301	1 987 302 208	8GP 002 095-121
1605	(W2W) [T5] 12V 2W W2x4,6d		10	4016840216057	0.20	2722	12505	91605	1 987 301 029	
1611	W3W [T10] 12V 3W W2,1x9,5d		10	4016840216118	0.12	2821	12256	504	1 987 302 217	8GP 003 594-141
1621	W5W [T10] 12V 5W W2,1x9,5d		10	4016840216217	0.13	2825	12961	501	1 987 302 206	8GP 003 594-121
1621 RED	WR5W [T10] 12V 5W W2,1x9,5d	Red / rot	10	4016840500486	0.42					
1624 AMBER	WY5W [T10] 12V 5W W2,1x9,5d	Amber	10	4016840216248	0.40	2827	12396NA	501NA	1 987 302 241	8GP 003 594-541
1607	W16W [T15] 12V 16W W2,1x9,5d		10	4016840216071	0.35	921	12067	921	1 987 302 205	8GA 008 246-001
1618	WY16W [T15] 12V 16W W2,1x9,5d	Amber	10	4016840500943	0.55	921NA		WY16WYNAL		
1631	W21W [T20] 12V 21W W3x16d		10	4016840216316	0.91	7505	12065	7440	1 987 302 251	8GA 008 892-002
1633	WY21W [T20] 12V 21W WX3x16d	Amber	10	4016840216330	1.22	7504	12071	7440NA	1 987 302 222	8GP 009 021-002
1632	W21/5W [T20] 12V 21/5W W3x16q		10	4016840216323	0.94	7515	12066	7443	1 987 302 252	8GD 008 893-002
1640	Plug-In WB 12V 0,36W BX8,5d	Purple	10	4016840216408	0.48	2322MFX				8GA 007 997-151
1646	Plug-In WB 12V 1,12W BX8,4d	Orange	10	4016840216460	0.43	2473MFX6	12624	91646 PS	1 987 302 243	8GA 007 997-171
1671	Plug-In WB 12V 1,2W B8,3d	Black	10	4016840216712	0.48	2752				8GA 007 997-041
1643	Plug-In WB 12V 1,2W B8,4d-12,5	Pale blue	10	4016840216439	0.48	2351MF6	12623	91641 PS		
1661	Plug-In WB 12V 1,2W B8,5d	Black	10	4016840216613	0.31	2721MF	12598	5301 PS	1 987 302 219	
1651	Plug-In WB 12V 1,2W B8,7d	Grey	10	4016840216514	0.52	2721MFX8W				8GA 007 997-051
1641	Plug-In WB 12V 1,2W BX8,4d	Black	10	4016840216415	0.43	2351MFX6	12625		1 987 302 235	8GA 007 997-121
1644	Plug-In WB 12V 1,2W BX8,5d	Pale blue	10	4016840216446	0.33	2721MFX				8GA 007 997-211
1642	Plug-In WB 12V 1,3W BX8,4d	Olive-green	10	4016840216422	0.47	2431MFX6	12628			8GA 007 997-131
1664	Plug-In WB 12V 1,5W B8,5d	Beige	10	4016840216644	0.51	2752MF	12637			8GA 007 997-161
1647	Plug-In WB 12V 1,5W BX8,4d	Beige	10	4016840216477	0.46	2452MFX6	12627		1 987 302 255	8GA 007 997-141
1665	Plug-In WB 12V 2W B8,3d	White	10	4016840216651	0.39	2722MF8			1 987 302 244	8GA 007 997-001
1655	Plug-In WB 12V 2W B8,5d	Green	10	4016840216552	0.30	2722MF	12600	5303 PS	1 987 302 221	8GA 007 997-081
1645	Plug-In WB 12V 2W BX8,4d	Pale green	10	4016840216453	0.43	2352MFX6	12626	91645 PS	1 987 302 236	8GS 006 677-121
1648	Plug-In WB 12V 2W BX8,5d	Pale green	10	4016840216484	0.33	2722MFX				8GA 007 997-221
1898	Plug-In WB Halogen 12V 3W B10d	Brown	10	4016840218983	2.13	64122MF	12614			8GA 007 997-101
1899	Plug-In WB Halogen 12V 5W B10d	Black	10	4016840218990	2.12	64124	12615			8GA 007 997-111
1701	(C3W) 12V 3W SV7-8	8,2x28mm	10	4016840217016	0.23	6428		91701	1 987 302 226	8GM 002 094-121
1711	C5W 12V 5W SV8,5-8	11x35mm	10	4016840217115	0.20	6418	12844	7546	1 987 302 211	8GM 002 092-121
1715	(C10W) 12V 10W SV8,5-8	11x35mm	10	4016840217153	0.34	6461	12854	91715	1 987 302 228	
1721	(C5W-K) 12V 5W SV8,5-8	11x40mm	10	4016840217214	0.25	6413	12864	7575	1 987 302 225	
1731	K 12V 10W SV8,5-8	DIN 72 601 / 11x40mm	10	4016840217313	0.25	6411	12866	7576	1 987 302 210	8GM 002 091-131
1741	(C15W) 12V 15W SV8,5-8	15x40mm	10	4016840217412	0.29	6451	12850	7592	1 987 302 238	8GM 002 091-141
1751	K 12V 18W SV8,5-8	DIN 72 601 / 15x40mm	10	4016840217511	0.30	6475		7593	1 987 302 229	8GM 002 091-121
1761	C21W 12V 21W SV8,5-8	15x40mm	10	4016840217610	0.4	6476			1 987 302 230	8GM 002 091-181
1836	(H5W) Halogen 12V 5W BA9s		10	4016840218365	1.27	64111	12023	58540	1 987 302 231	8GH 002 473-151
1896	H6W 12V 6W BAX9s		10	4016840218969	1.17	64132	12036	52830U	1 987 302 232	8GH 007 643-121
1896 AMBER	HY6W 12V 6W BAZ9s	Amber	10	4016840296110	5.14					
1837	(H10W) Halogen 12V 10W BA9s		10	4016840218372	1.27	64113	12024	58560	1 987 302 233	8GH 002 473-191
1848	(H20W) Halogen 12V 20W BA9s		10	4016840218488	1.30	64115	12025		1 987 302 245	8GH 002 473-132
1897	H21W 12V 21W BAY9s		10	4016840218976	1.60	64136	12356	53990	1 987 302 264	8GH 008 417-012
1897 HY	HY21W 12V 21W BAW9s	Amber	10	4016840297117	3.82		12146			
12V Spezial Kleinlampen / 12V Special small lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1301	(P15W) 12V 15W BA15s		10	4016840213018	0.31	7533	12401			
1321 AMBER	(P21W) 12V 21W BA15s	Amber	10	4016840504354	0.40					
1321 RED	12V 21W BA15s	Red / rot	10	4016840500165	0.49					
1341 RED	12V 21/5W BAY15d	Red / rot	10	4016840500202	0.98					
1343	(K18) 12V 21/5W BAY15d		10	4016840500882	0.59					
1361	(E) 12V 25W BA15s		10	4016840213612	1.11	7582				
1381	(P20W) 12V 20W BA15s		10	4016840213810	0.40	7532				
1383W	12V 21W BAU15s	Clear glass / klares Glas	10	4016840501902	0.55					
1385	(P20/5W) 12V 20/5W BA15d		10	4016840213858	0.26	7240		1098		

1391	(P15W) 12V 15W BA15d		10	4016840213919	0.40	7430				
1401 RED	(K18) 12V 5W BA15s	Red / rot	10	4016840500240	0.48					
1411 AMBER	(K18) 12V 10W BA15s	Amber	10	4016840500288	0.52					
1413	(K18) 12V 23W BA15s	Kleiner Glaskolben / Small flask	10	4016840500905	0.40					
1421	(R3W) 12V 3W BA15s		10	4016840214213	0.26	5004				
1415	(R15W) 12V 15W BA15s		10	4016840214152	0.26	5631				
1521	(T3W) 12V 3W BA9s		10	4016840215210	0.28	3894	12910	2656		8GP 002 068-131
1561	(T5W) 12V 5W BA9s		10	4016840215616	0.28	3860				
1551	(DIN-Type J) 12V 2W BA7s	(DIN 72601 J)	10	4016840215517	0.33	3898	12829	2696	1 987 302 224	8GP 002 066-121
27122	(W0,03A) [T5] 12V 30mA W2x4,6d		10	4016840271223	0.21					
27122 MATT	(W0,03A) [T5] 12V 30mA W2x4,6d	Frosted / mattiert	10	4016840500646	0.31					
1601 GREEN	(W1,2W) [T5] 12V 1,2W W2x4,6d	Green / grün	10	4016840500363	0.55					
1603 MATT	(W1,2W) [T5] 12V 1,2W W2x4,6d	Frosted / mattiert	10	4016840216033	0.18	2721M				
1634	(W1,7W) [T7] 12V 1,7W W2,1x6,5d		10	4016840216347	0.26					
27225	(W2W) [T10] 12V 2W W2,1x9,5d		10	4016840272251	0.21	2820			1 987 302 223	
1604	W2,3W [T5] 12V 2,3W W2x4,6d		10	4016840216040	0.20	2723	12061		1 987 302 240	8GP 938 026-001
1630	(W3W) [T7] 12V 3W W2,1x6,5d		10	4016840216309	0.38					
1611 GREEN	(W3W) [T10] 12V 3W W2,1x9,5d	Green / grün	10	4016840500417	0.34					
1613	(W10W) Halogen 12V 10W W2,1x9,5d		10	4016840216132	0.78					
1629	(W10W) [T13] 12V 10W W2,1x9,5d		10	4016840216293	0.68					
1609	Plug-In WB 12V 0,5W KW2x4,6d	Grey	10	4016840216095	0.43					
1688	Plug-In WB 12V 1,2W B8,5d	Black / PCB 2mm	10	4016840216880	0.40					
1608	Plug-In WB 12V 1,2W KW2x4,6d	White	10	4016840216088	0.47					8GA 007 997-011
1649	Plug-In WB 12V 1,2W SG8-5,5d	Black	10	4016840216491	0.81					8GA 007 997-241
1650	Plug-In WB 12V 1,2W B8,5s/40	Black	10	4016840216507	1.04					
1684	Plug-In WB 12V 1,5W BX8,4d	Red glas / rotes Glass	10	4016840216842	0.44					
1666	Plug-In WB 12V 1,5W BX8,5d	Melon yellow	10	4016840216668	0.30					
1696	Plug-In WB 12V 1,8W EBS R11	Turquoise	10	4016840216965	0.57			91696 PS		
1652	Plug-In WB 12V 1W BX8,5d	Pastel orange	10	4016840216521	0.56	2321MFX				
1685	Plug-In WB 12V 3W B10d	Black/Brown	10	4016840216859	0.94					
1705	(C3W) 12V 3W SV6-7,6	6,5x36mm	10	4016840217054	0.35	6439	12818			
1708	(C6W) 12V 6W SV8,5-8	10x28mm	10	4016840217085	0.26					
1735	(C10W) 12V 10W SV8,5-8	10x31mm	10	4016840217351	0.26	6438		91735	1 987 302 227	
29970	(C10W) 12V 10W SV8,5 Flat	11x44mm	10	4016840299708	0.70					
1751 AMBER	12V 18W SV8,5-8	15,5x41mm amber	10	4016840500547	0.56					
1855	(HR10W) Halogen 12V 10W BA15s		10	4016840218556	1.64					
1835	(G4) Halogen 12V 5W G4		10	4016840251835	1.37					
1838	(G4) Halogen 12V 10W G4		10	4016840218389	1.22	64415				
1839	(G4) Halogen 12V 20W G4		10	4016840218396	1.22	64425				
1885	(W5W) Halogen 12V 5W W2,1x9,5d		10	4016840218853	1.99					
LCP	LCP 13,5V 24W HP5L 2A	Daytime Running Light	1	4016840504408	13.00		12197HTR			
HP24W	HP24W 12V 24W klar / clear	Daytime Running Light	1	4016840503852	20.46					
HPC16W	HPC16W 12V 16W PU20d/1	Side Mirror Indicator Light	1	4016840503869	13.00		12184			
PCY16W	PCY16W 13.5V 16W PU20d/2 Amber	Front Indicator Light	1	4016840504415	13.42		12271A			
HPC19W	HPC19W 12V 19W PU20d/3	Rear Turn Signal / Reversing Light	1	4016840503883	13.00					
HPC24WY	HPC24WY Na 12V 24W PU20d/6 Amber	Side Mirror Indicator Light	1	4016840503890	12.00					
P13W	P13W 12V 13W PG18.5d-1	Low & Full Beam Light / Additional Front Light	1	4016840503920	14.50		12277			
PSX26W	PSX26W 12V 26W PG18.5d-3	Daytime Running Light / Front Indicator Light	1	4016840504439	14.78		12278			
PS19W	PS19W 12V 19W PG20/1	Low & Full Beam Light / Daytime Running Light / Additional Fron	1	4016840971925	10.27		12085			
PS19W LL	PS19W 12V 19W PG20/1 Long Life	Low & Full Beam Light / Daytime Running Light / Additional Fron	1	4016840504422	13.00		12085LL			
PSY19W	PSY19W 12V 19W PG20/2 Amber	Rear Indicator Light	1	4016840503982	12.32		12275NA			
PS24W	PS24W 12V 24W PG20/3	Fog Light	1	4016840503968	13.42		12086FF			
PSY24W SV	PSY24W 12V 24W PG20/4 Silver	Front & Rear Indicator Light	1	4016840503999	15.33		12180SV			
PSX24W	PSX24W 12V 24W PG20/7	Reversing Light / Fog Light	1	4016840503975	13.42		12276			
PY24W	PY24W 12V 24W PGU20/4 Amber	Front & Rear Indicator Light	1	4016840504026	12.32		12190NA			
PSY24W	PSY24W 12V 24W PG20/4 Amber	Front & Rear Indicator Light	1	4016840504637	12.62					

PY24W SV	PY24W 12V 24W PGU20/4 Silver	Front & Rear Indicator Light	1	4016840504033	15.33		12274SV			
PW24W	PW24W 12V 24W WP3,3x14,5/3	Daytime Running Light	1	4016840504002	12.32		12182HTR			
PW16W	PW16W 12V 16W WP3.3x14.5/4	Daytime Running Light	1	4016840504446	16.84		12177			
PWY24W	PWY24W 12V 24W WP3,3x14,5/4 Amber	Front Indicator Light	1	4016840504019	13.00		12174NAHTR			
PWY24W SV	PWY24W 12V 24W WP3,3x14,5/4 Silver	Front Indicator Light	1	4016840504453	15.33		12174SVHTR			
Heavy Duty Long Life 24V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1112 HDLL	H1 24V 70W P14,5s	Heavy Duty Long Life	1	4016840711125	1.98	64155TSP	13258ML	50320/1U_HDL	1 987 302 712	8GH 002 089-491
1122 HDLL	H3 24V 70W Pk22s	Heavy Duty Long Life	1	4016840711224	1.95	64156TSP	13336ML	50350U_HDL	1 987 302 732	8GH 002 090-471
1102 HDLL	H4 24V 75/70W P43t	Heavy Duty Long Life	1	4016840711026	2.81	64196TSP	13342ML	50450HDLU	1 987 302 742	8GJ 002 525-511
1119 HDLL	H7 24V 70W Px26d	Heavy Duty Long Life	1	4016840711194	3.22	64215TSP	13972ML	58521HDLU	1 987 302 772	
1326 HDLL	P21W 24V 21W BA15s	Heavy Duty Long Life	10	4016840713266	0.36	7511TSP	13498ML	1060HDL	1 987 302 701	
1372 HDLL	P21W 24V 21W BA15d	Heavy Duty Long Life	10	4016840713723	0.42			1061HDL	1 987 302 702	
1393 HDLL	PY21W 24V 21W BAU15s	Heavy Duty Long Life / Amber	10	4016840713938	0.82	7510TSP	13496ML	1073HDNAL	1 987 302 703	
1406 HDLL	R5W 24V 5W BA15s	Heavy Duty Long Life	10	4016840714065	0.33	5627TSP	13821ML	2627HDL	1 987 302 704	
1416 HDLL	R10W 24V 10W BA15s	Heavy Duty Long Life	10	4016840714164	0.40	5637TSP	13814ML	2643HDL	1 987 302 706	
1432 HDLL	R5W 24V 5W BA15d	Heavy Duty Long Life	10	4016840714324	0.39				1 987 302 705	
1502 HDLL	T4W 24V 4W BA9s	Heavy Duty Long Life	10	4016840715024	0.34	3930TSP	13929ML	2661HDL	1 987 302 707	
Heavy Duty 24V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1112 HD	H1 24V 70W P14,5s	Heavy Duty	1	4016840501513	1.85		13258MD			8GH 002 089-361
1122 HD	H3 24V 70W PK22s	Heavy Duty	1	4016840212290	1.76		13336MD			
1107	H4 24V 75/70W P43t	Heavy Duty	1	4016840211076	2.77	94196	13342MD		1 987 302 442	8GJ 002 525-281
1120	H7 24V 70W PX26d	Heavy Duty	1	4016840211205	3.07		13972MD			
1326	P21W 24V 21W BA15s	Heavy Duty	10	4016840213261	0.34	9511	13498MD	1060HD	1 987 302 503	8GA 002 073-251
1373	P21W 24V 21W BA15d	Heavy Duty	10	4016840213735	0.38			1061HD		
1384	PY21W 24V 21W BAU15s	Heavy Duty / Amber	10	4016840213841	0.82					8GA 006 841-251
1406	R5W 24V 5W BA15s	Heavy Duty	10	4016840214060	0.33	9627	13821MD	2627HD	1 987 302 511	8GA 002 071-261
1416	R10W 24V 10W BA15s	Heavy Duty	10	4016840214169	0.36	9637	13814MD	2643HD	1 987 302 506	8GA 002 071-271
1506	T4W 24V 4W BA9s	Heavy Duty	10	4016840215067	0.34	9930	13929MD	2661HD	1 987 302 525	8GP 002 067-261
Off-Road 24V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1192	(H1) 24V 100W PX14,5s	Off-Road	1	4016840211922	1.98					
1182	(H3) 24V 100W PKY22s	Off-Road	1	4016840211823	2.24			50400U Rally		
1103	(H4) 24V 100/70W P43t	Off-Road	1	4016840211038	3.29					
1153	(H4) 24V 100/70W P45t	Off-Road	1	4016840211533	3.56			52710HU Rally		
24V Scheinwerferlampen / 24V Head light lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1112	H1 24V 70W P14,5s		1	4016840211120	1.29	64155		50320/1U	1 987 302 411	8GH 002 089-251
1132	(H2) 24V 70W X511		1	4016840211328	1.30	64175	13311		1 987 302 422	8GH 002 857-241
1122	H3 24V 70W PK22s		1	4016840211229	1.26	64156		50350U	1 987 302 431	8GH 002 090-251
1102	H4 24V 75/70W P43t		1	4016840211021	1.59	64196		50450HU	1 987 302 441	8GJ 002 525-251
1142	(H4) 24V 75/70W P43t	Yellow	1	4016840211427	4.59					
1152	(H4) 24V 75/70W P45t		1	4016840211526	2.59	64199		52080		8GJ 003 133-242
1119	H7 24V 70W PX26d		1	4016840211199	2.26	64215		58521U	1 987 302 471	8GH 007 157-241
1189 (24V)	H11 24V 70W PGJ19-2		1	4016840504255	4.10					8GH 008 358-251
1164	H15 24V 60/20W PGJ23t-1		1	4016840211649	17.73	64177				8GJ 168 119-241
1202	R2 24V 55/50W P45t		1	4016840212028	1.08	7952	13620		1 987 302 421	8GD 002 088-271
24V Standard Kleinlampen / 24V Standard small lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1312	R 24V 18W BA15s	DIN 72 601 R	10	4016840213124	0.31	7535	13445	1117	1 987 302 523	8GA 002 072-241
1322	P21W 24V 21W BA15s		10	4016840213223	0.22	7511	13498	1060	1 987 302 501	8GA 002 073-241
1342	P21/SW 24V 21/5W BAY15d		10	4016840213421	0.29	7537	13499	1078	1 987 302 524	8GD 002 078-241
1346	P21/4W 24V 21/4W BAZ15d		10	4016840213469	0.60					8GD 004 772-123

1372	P21W 24V 21W BA15d		10	4016840213728	0.36			1061		
1393	PY21W 24V 21W BAU15s	Amber	10	4016840213933	0.55	9507		1073		8GA 006 841-241
1402	R5W 24V 5W BA15s		10	4016840214022	0.22	5627	13821	2627	1 987 302 510	8GA 002 071-241
1432	R5W 24V 5W BA15d		10	4016840214329	0.33	5626		2626	1 987 302 527	8GA 002 071-361
1412	R10W 24V 10W BA15s		10	4016840214121	0.25	5637	13814	2643	1 987 302 505	8GA 002 071-251
1426	R10W [Tube] 24V 10W BA15d		10	4016840214268	0.38					
1502	T4W 24V 4W BA9s		10	4016840215029	0.26	3930	13929	2661	1 987 302 512	8GP 002 067-241
1512	H 24V 2W BA9s	DIN 72 601 H	10	4016840215128	0.30	3797	13913	2663	1 987 302 508	
1602	(W1,2W) [T5] 24V 1,2W W2x4,6d		10	4016840216026	0.16	2741	13516	91602	1 987 302 504	8GP 002 095-241
1612	W3W [T10] 24V 3W W2,1x9,5d		10	4016840216125	0.16	2841	13256	5305	1 987 302 517	8GP 003 594-241
1622	W5W [T10] 24V 5W W2,1x9,5d		10	4016840216224	0.18	2845	13961	91622	1 987 302 518	8GP 003 594-251
1622 AMBER	WY5W [T10] 24V 5W W2,1x9,5d	Amber	10	4016840500493	0.46					
1682	Plug-In WB 24V 1,2W B8,3d	Grey	10	4016840216828	0.56	2741MF8	13597		1 987 302 515	8GA 007 997-061
1662	Plug-In WB 24V 1,2W B8,5d	Grey	10	4016840216620	0.38	2741MF	13598	5302 PS	1 987 302 514	8GA 007 997-071
1663	Plug-In WB 24V 1,2W BX8,5d	Brown	10	4016840216637	0.33	2741MFX	24032			8GA 007 997-261
1673	Plug-In WB 24V 1,2W EBS N10	Beige	10	4016840216736	0.64					8GA 007 997-272
1697	Plug-In WB 24V 1,2W EBS R4	Yellow	10	4016840216972	0.59					8GA 007 997-191
1672	Plug-In WB 24V 1,2W EBS R6	Brown	10	4016840216729	0.60					8GA 007 997-201
1680	Plug-In WB 24V 1W KW2x4,6d	White	10	4016840216804	0.47					8GA 007 997-021
1702	(C3W) 24V 3W SV7-8	8,2x28mm	10	4016840217023	0.26	6430			1 987 302 528	8GM 002 094-241
1712	C5W 24V 5W SV8,5-8	11x35mm	10	4016840217122	0.23	6423	13844	7552	1 987 302 507	8GM 002 092-241
1722	(C5W-K) 24V 5W SV8,5-8	11x40mm	10	4016840217221	0.29	6424	13864	7579	1 987 302 520	
1732	(C10W-K) 24V 10W SV8,5-8	11x40mm	10	4016840217320	0.29	6429	13866	7580	1 987 302 521	
1742	(C15W) 24V 15W SV8,5-8	15x40mm	10	4016840217429	0.34	6453	13850	7594	1 987 302 529	8GM 002 091-261
1752	K 24V 18W SV8,5-8	DIN 72 601 / 15x40mm	10	4016840217528	0.34	6480	13807	7595		8GM 002 091-241
1895	H21W 24V 21W BAY9s		10	4016840218952	2.64	64138	24356	54400	1 987 302 533	8GH 008 417-012
24V Spezial Kleinlampen / 24V Special small lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1302	(P15W) 24V 15W BA15s		10	4016840213025	0.31	7529	13401	1115	1 987 302 526	
1362	(E) 24V 25W BA15s		10	4016840213629	1.43	7597				
1386	(P20/5W) 24V 20/5W BA15d		10	4016840213865	0.33	7242				
1392	(P15W) 24V 15W BA15d		10	4016840213926	0.47	7429				
1417	(R15W) 24V 15W BA15s		10	4016840214176	0.34	5639				
1522 R	(T3W) [Tube] 24V 3W BA9s		10	4016840215227	0.25		13910			8GP 002 068-241
1552	(DIN-Type J) 24V 3W BA7s	(DIN 72601 J)	10	4016840215524	0.42	3899	13829	2692	1 987 302 519	8GP 002 066-241
27140	(W0,03A) [T5] 24V 30mA W2x4,6d		10	4016840271407	0.21					
27141	(W1W) [T5] 24V 1W W2x4,6d		10	4016840271414	0.20	2341	13521		1 987 302 513	
1606	(W2W) [T5] 24V 2W W2x4,6d		10	4016840216064	0.25	7447	13974			8GA 007 997-181
27243	(W2W) [T10] 24V 2W W2,1x9,5d		10	4016840272435	0.26	2840			1 987 302 516	8GA 008 901-241
1654	Plug-In WB 24V 1,2W B8,7d	Brown	10	4016840216545	0.51					
1659	Plug-In WB 24V 1,2W BX8,5d (EBS N1)	Grey	10	4016840216590	0.46					
1698 WHITE	Plug-In WB 24V 1,2W EBS R10	White / frosted	10	4016840500523	0.61					
1698 BLUE	Plug-In WB 24V 1,2W EBS R12	Blue / blue	10	4016840216989	0.60					
1697 GREEN	Plug-In WB 24V 1,2W EBS R4	Green / green	10	4016840501971	0.61					
1681	Plug-In WB 24V 1,2W W4N	White	10	4016840216811	0.48					
1674	Plug-In WB 24V 1,4W EBS P29	Green	10	4016840216743	0.49					
1693	Plug-In WB 24V 1,4W EBS R11	Pale green	10	4016840216934	0.64					
1656	Plug-In WB 24V 1,5W BX8,4d	Red	10	4016840216569	0.55					
1676	Plug-In WB 24V 1,6W EBS N7	Yellow	10	4016840216767	0.65					
1667	Plug-In WB 24V 1,7W B29	White	10	4016840500967	0.61					
1668	Plug-In WB 24V 2,4W B9	White	10	4016840216682	0.65					
1694	Plug-In WB 24V 2W EBS R11	Pale green	10	4016840216941	0.51					
1683	Plug-In WB 24V 5W B10d	Black	10	4016840216835	0.62					
1706	(C3W) 24V 3W SV6-7,6	6,5x36mm	10	4016840217061	0.40		13848			
1716	(C10W) 24V 10W SV8,5-8	11x35mm	10	4016840217160	0.39		13854	91716		

26141	(C3W) 24V 3W S5,5	6x31mm	10	4016840261415	0.96					
26241	(C3W) 24V 125mA 3W SV6	6x36mm	10	4016840262412	0.48					
29972	(C10W) 24V 10W SV8,5 Flat	11x44mm	10	4016840299722	1.09					
1843	(G4) Halogen 24V 5W G4	Clear	10	4016840500998	3.24					
1841	(G4) Halogen 24V 10W G4	Clear	10	4016840218419	1.09					
1842	(G4) Halogen 24V 20W G4	Clear	10	4016840218426	1.37					
Motorrad Lampen 12V / Motorcylce lamps 12V										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1173	HS1 12V 35/35W PX43t		1	4016840211731	1.37	64185	12636		1 987 302 104	
1832	(HS2) Halogen 12V 15W PX13,5s		10	4016840218327	1.89					
1261	(M5) 12V 25/25W P15d-25		1	4016840212615	2.54					
1262	(M5) 12V 35/35W P15d-25		1	4016840212622	2.60					
1211	S1 12V 25/25W BA20d		1	4016840212110	1.03	7326				8GD 008 897-121
1231	(S1/2) 12V 45/40W BA20d		1	4016840212318	1.12	7351				8GD 002 084-151
1221	S2 12V 35/35W BA20d		1	4016840212219	0.85	7327	12728			8GD 002 084-131
1221 H	S2 Halogen 12V 35/35W BA20d		1	4016840222218	2.56	64327				
1365	S3 12V 15W P26s		1	4016840213650	0.68	7135	12008			8GA 008 899-121
1367	S3 Halogen 12V 15W P26s		1	4016840213674	2.40					
6V Glühlampen / 6V Lamps										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1100	(H4) 6V 60/55W P43t		1	4016840211007	3.46					
1150	(H4) 6V 60/55W P45t		1	4016840500868	5.06					
1172	(HS1) 6V 35/35W PX43t		1	4016840211724	3.42	64197				
1825	(HS2) Halogen 6V 3W P13,5s		10	4016840218259	1.50					
1826	(S28) 6V 15/15W BAX15d		1	4016840218266	2.17					
1827	(S28) 6V 18/18W BAX15d		10	4016840218273	2.17					
1831	HS2 Halogen 6V 15W PX13,5s		10	4016840218310	1.64	64130				
1834	Halogen 6V 10W G4		10	4016840218341	1.34					
1260	(M5) 6V 25/25W P15d-25		1	4016840251260	2.68					
1210	(S1) 6V 25/25W BA20d		1	4016840212103	1.72	7323				8GD 008 897-061
1214	(S1/2) 6V 15/15W BA20d		1	4016840212141	2.13	7331				
1220	(S2) 6V 35/35W BA20d		1	4016840212202	1.59	7324				8GD 008 898-061
1220 H	(S2) Halogen 6V 35/35W BA20d		1	4016840222201	4.93					
1363	(S3) 6V 20W P26s		1	4016840213636	1.17					
1366	S3 Halogen 6V 15W P26s		1	4016840213667	2.70					
1364	S3 6V 15W P26s		1	4016840213643	0.82	7130			1 987 302 606	8GA 008 899-061
1200	R2 6V 45/40W P45t		1	4016840212004	1.59	7950				
1240	(Type F2) 6V 35W BA20s		1	4016840212400	2.90	7315				
1300	(P15W) 6V 15W BA15s		10	4016840213001	0.42	7523				
1310	(DIN-Type R) 6V 18W BA15s	(DIN 72601 R)	10	4016840213100	0.43	7526			1 987 302 610	
1320	P21W 6V 21W BA15s		10	4016840213209	0.36	7501			1 987 302 607	
1340	P21/5W 6V 21/5W BAY15d		10	4016840213407	0.68	7517			1 987 302 609	
1387	(P20/5W) 6V 20/5W BA15d		10	4016840213872	0.42					
1390	(P15W) 6V 15W BA15d		10	4016840213902	0.46	7420				
1397	6V 21/5W Ba15d		10	4016840500899	0.62					
1320 AMBER	6V 21W BA15s	Amber	10	4016840500110	0.44					
1400	R5W 6V 5W BA15s		10	4016840214008	0.23	5006			1 987 302 605	
1410	R10W 6V 10W BA15s		10	4016840214107	0.23	5001			1 987 302 604	
1424	R10W 6V 10W BA15d		10	4016840214244	0.74					
1414	(R15W) 6V 15W BA15s		10	4016840500912	0.39					
1510	(T2W) 6V 2W BA9s		10	4016840215104	0.26	3895			1 987 302 613	
1500	T4W 6V 4W BA9s		10	4016840215005	0.23	3892			1 987 302 603	8GP 002 067-061
1520	(T3W) 6V 3W BA9s		10	4016840215203	0.31					
1560	(T5W) 6V 5W BA9s		10	4016840215609	0.34					
1530	(T5W-K) 6V 5W BA9s		10	4016840215302	0.35	6261				

1540	(DIN-Type J) 6V 0,6W BA7s		10	4016840215401	0.40	3798				
1550	(DIN-Type J) 6V 1,2W BA7s	(DIN 72601 J)	10	4016840215500	0.35	3799				
1600	(W1,2W) [T5] 6V 1,2W W2x4,6d		10	4016840216002	0.38					
1610	(W3W) [T10] 6V 3W W2,1x 9,5d		10	4016840216101	0.40					
1700	(C3W) 6V 3W SV7-8	8,2x28mm	10	4016840217009	0.30	6427				
1710	C5W 6V 5W SV8,5-8	11x35mm	10	4016840217108	0.49	6416				
1720	(C5W-K) 6V 5W SV8,5-8	11x40mm	10	4016840217207	0.66	6410				
1730	(C10W-K) 6V 10W SV8,5-8	11x40mm	10	4016840217306	0.69	6450			1 987 302 612	
1740	(C15W) 6V 15W SV8,5-8	15x40mm	10	4016840217505	0.49	6452				
1750	(C18W-K) 6V 18W SV8,5-8	15x40mm	10	4016840217504	0.49	6470				
1802	B2 6V 0,6W E10	DIN 49 848	10	4016840218020	0.18	3708			1 987 302 601	
1821	HS3 6V 2,4W PX13,5s	DIN 49 848	10	4016840218211	1.09	64100				
Sonderanwendungen (nach Volt, Watt & Sockel) / Special applications (by Volt, Watt & Base)										
Jahn Nr.	Bezeichnung	Beschreibung	VPE	EAN	CHF pro Stk.	Vergl. Osram	Vergl. Philips	Vergl. GE	Vergl. Bosch	Vergl. Hella
1822	(HS2) Halogen 2,8V 0,85A P13,5s	9,3x31 mm	1	4016840500974	2.91					
1239	(Type U) 12V 35W BA15s		10	4016840504385	2.68					
1241	(Type F2) 12V 35W BA20s		1	4016840212417	0.92	7309				8GA 002 083-131
1125	(H3) 12V 35W PK22s		1	4016840211250	1.78	64146				8GH 002 090-271
1139	H4 12V 60/55W P43t All Day		1	4016840211397	3.71					
1248	(Type U) 12V 45W BA15s		1	4016840212486	1.17	7569				8GA 002 074-121
1245	(Type F2) 12V 50W BA20s		1	4016840212455	1.04	7301				
1695	Plug-In WB 14V 1,4W HRQ [F4.8W]	Black	10	4016840216958	0.57			91695 PS		
1692	Plug-In WB 14V 1CP (1.8W) B11d-T7	Pink	10	4016840216927	0.61					
1242	(Type F2) 24V 35W BA20s		1	4016840212424	1.09	7409				8GA 002 083-251
1122(35)	(H3) 24V 35W PK22s		1	4016840500080	8.42					
1249	(Type U) 24V 45W BA15s		1	4016840212493	1.30	7669				8GA 002 074-241
1232	(S1/2) 24V 45/40W BA20d		1	4016840212325	1.64	7360				8GD 002 084-251
1246	24V 50W BA20s		1	4016840212462	2.51					
1122(65)	(H3) 24V 65W PK22s		1	4016840501551	10.27					
1675	Plug-In WB 28V 30mA KW2x4,6d-12	Yellow	10	4016840216750	1.04					
1699	(W4A) [T5] 28V 40mA W2x4,6d	10.000 h	10	4016840216996	0.21					
1677	Plug-In WB 28V 53mA KW2x4,6d-4	Grey or white / frosted	10	4016840216774	0.39					
1687	Plug-In WB 28V 3W EBS N	Yellow	10	4016840216873	0.61					
22745	Telefonlampe T 5,5 4,8x30mm 30V 40mA		10	4016840501285	0.72					
42423	(G4) Halogen 28V 20W G4		10	4016840501308	1.92					
1128	(H3) 36V 45W PK22s		1	4016840500851	10.27					
1440	(K18) 48V 8W BA15s		10	4016840214404	0.55					
1463	(K25) 48V 8W BAY15d		10	4016840214633	1.03					
1442	(K18) 48V 8W BAY15d		10	4016840500929	0.40					
1441	(K18) 48V 10W BA15s		10	4016840214411	0.61					
1466	(K25) 48V 23/8W BAY15d		10	4016840214664	1.07					
1461	(K25) 48V 25W BA15s		10	4016840214619	0.68					
1444	(K18) 48V 25W BAY15d		10	4016840214442	0.68					
1465	(K25) 48V 25W BAY15d		10	4016840214657	1.09					
1127	(H3) 48V 60W PK22s		1	4016840211274	2.00					
1126(50)	(H3) 48V 50W PK22s		1	4016840501568	8.89					
1129	(H3) 80V 55W PK22s		1	4016840211298	13.61					
29801	(F8W/T5/33) 230V 8W G5	Linear Fluorescent Lamp / Colour Code 33	1	4016840298015	1.37					